



INTERNATIONAL
ACCREDITATION
SERVICE®

CERTIFICATE OF ACCREDITATION

This is to attest that

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

2F, BUILDING A2, NO.666, JINXIN NORTH ROAD
JINJIANG, 362211, CHINA

Testing Laboratory TL-1240

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date June 4, 2024



International Accreditation Service
Issued under the authority of IAS management

Visit www.iasonline.org for current accreditation information.

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

www.fjhuak.com

Contact Name Dendi Wei

Contact Phone +86-15112509350

Accredited to ISO/IEC 17025:2017

Effective Date June 4, 2024

Leather, Fur and Related Products	
ASTM D2209	Standard Test Method for Tensile Strength of Leather
ASTM D2212	Standard Test Method for Slit Tear Resistance of Leather
ASTM D3884	Standard Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform Abrader Method)
ASTM D6182	Standard Test Method for Flexibility and Adhesion of Finish on Leather
ASTM D7255	Standard Test Method for Abrasion Resistance of Leather (Rotary Platform, Abraser Method)
BS EN ISO 5402-1	Leather - Physical and mechanical tests - Determination of flex resistance
BS EN ISO 11640	Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing
BS EN ISO 15701	Leather — Tests for colour fastness — Colour fastness to migration into polymeric material
BS EN ISO 17701	Footwear — Test methods for uppers, lining and insoles — Colour migration
BS ISO 5470-1	Rubber- or plastics-coated fabrics — Determination of abrasion resistance — Part 1: Taber abrader
DB44/T 1358	Identification of Leather
DB44/T 1359	Identification of Transfer Coating Leather
DIN EN ISO 3376	Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation
DIN EN ISO 3377-1	Leather — Physical and mechanical tests — Determination of tear load — Part 1: Single edge tear
DIN EN ISO 3377-2	Leather — Physical and mechanical tests — Determination of tear load — Part 2: Double edge tear
DIN EN ISO 11640	Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing
DIN EN ISO 11644	Leather — Test for adhesion of finish
DIN EN ISO 15701	Leather — Tests for colour fastness — Colour fastness to migration into polymeric material
DIN EN ISO 17070	Leather — Chemical tests — Determination of tetrachlorophenol-, trichlorophenol-, dichlorophenol-, monochlorophenol-isomers and pentachlorophenol content
DIN EN ISO 17701	Footwear — Test methods for uppers, lining and insoles — Colour migration

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 2 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

DIN ISO 5470-1	Rubber- or plastics-coated fabrics — Determination of abrasion resistance — Part 1: Taber abrader
EN ISO 2589	Leather — Physical and mechanical tests — Determination of thickness
EN ISO 3376	Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation
EN ISO 3377-1	Leather — Physical and mechanical tests — Determination of tear load — Part 1: Single edge tear
EN ISO 3377-2	Leather — Physical and mechanical tests — Determination of tear load — Part 2: Double edge tear
EN ISO 3379	Leather — Determination of distension and strength of surface (Ball burst method)
EN ISO 5402-1	Leather - Physical and mechanical tests - Determination of flex resistance
EN ISO 5470-1	Rubber- or plastics-coated fabrics — Determination of abrasion resistance — Part 1: Taber abrader
EN ISO 11640	Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing
EN ISO 11644	Leather — Test for adhesion of finish
EN ISO 15701	Leather — Tests for colour fastness — Colour fastness to migration into polymeric material
EN ISO 17701	Footwear — Test methods for uppers, lining and insoles — Colour migration
EN ISO 32100	Rubber- or plastics-coated fabrics Physical and mechanical tests Determination of flex resistance by the flexometer method
GB/T 3903.42	Footwear — Test methods for uppers, lining and insoles — Colour migration
GB/T 4689.20	Leather — Test for adhesion of finish
GB/T 8948	Polyvinyl chloride artificial leather
GB/T 16799	Furniture leather
GB/T 19941	Leather and fur-Chemicaltests-Determination of formaldehyde content
GB/T 19941.1	Leather and fur—Determination of formaldehyde content—Part 1: High performance liquid chromatography method
GB/T 19941.2	Leather and fur—Determination of formaldehyde content—Part 2: Colorimetric method
GB/T 19941.3	Leather and fur—Determination of formaldehyde content—Part 3: Formaldehyde emissions
GB/T 19942	Leather and fur—Chemical tests—Determination of banned azo colorants
GB/T 22807	Leather and fur—Chemical tests—Determination of chromium (VI) content:Colorimetric method
GB/T 22808	Leather and fur—Chemical tests—Determination of chlorinated phenols content
GB/T 22866	Leather hardware accessory - Determination of release of nickel
GB/T 22885	Leather — Tests for colour fastness — Colour fastness to water
GB/T 22886	Leather — Tests for colour fastness — Colour fastness to water spotting
GB/T 22930	Leather and fur - Chemical tests - Determination of heavy metal content

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 22930.1	Leather and fur—Chemical determination of metal content—Part 1: Extractable metals
GB/T 22930.2	Leather and fur—Chemical determination of metal content—Part 2: Total metal content
GB/T 22931	Leather and fur - Chemical tests - Determination of plasticizers
GB/T 22932	Leather and fur - Chemical tests - Determination of organotin compounds
GB/T 26702	Leather and fur - Chemical tests - Determination of dimethyl fumarate content
GB/T 30695	Identification of polyvinyl chloride and polyurethane imitation leather
GB/T 33285	Leather and fur—Chemical tests—Determination of nonylphenol and nonylphenol ethoxylates
GB/T 33392	Leather and fur—Chemical tests—Determination of 4-aminoazobenzene derived from azo colorants
GB/T 38401	Leather and fur—Chemical tests—Determination of dimethyl formamide content
GB/T 38408	Leather—Identification—Method of microscopy
GB/T 38409	Leather—Chemical tests—Determination of N-methyl-2-pyrrolidone (NMP) and N-ethyl-2-pyrrolidone (NEP) content
GB/T 39452	Leather — Test for adhesion of finish
ISO 2420	Leather — Physical and mechanical tests — Determination of apparent density and mass per unit area
ISO 2589	Leather — Physical and mechanical tests — Determination of thickness
ISO 3376	Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation
ISO 3377-1	Leather — Physical and mechanical tests — Determination of tear load — Part 1: Single edge tear
ISO 3377-2	Leather — Physical and mechanical tests — Determination of tear load — Part 2: Double edge tear
ISO 3379	Leather — Determination of distension and strength of surface (Ball burst method)
ISO 4045	Leather — Chemical tests — Determination of pH and difference figure
ISO 4048	Leather — Chemical tests — Determination of matter soluble in dichloromethane and free fatty acid content
ISO 4684	Leather — Chemical tests — Determination of volatile matter
ISO 5402-1	Leather - Physical and mechanical tests - Determination of flex resistance
ISO 5470-1	Rubber- or plastics-coated fabrics — Determination of abrasion resistance — Part 1: Taber abrader
ISO 10195	Leather — Chemical determination of chromium (VI) content in leather — Thermal pre-ageing of leather and determination of hexavalent chromium
ISO 11640	Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing
ISO 11641	Leather — Tests for colour fastness — Colour fastness to perspiration
ISO 11642	Leather — Tests for colour fastness — Colour fastness to water
ISO 11643	Leather — Tests for colour fastness — Colour fastness to perspiration

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 4 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 11644	Leather — Test for adhesion of finish
ISO 15700	Leather — Tests for colour fastness — Colour fastness to water spotting
ISO 15701	Leather — Tests for colour fastness — Colour fastness to migration into polymeric material
ISO 15702	Leather — Tests for colour fastness — Colour fastness to machine washing
ISO 16190	Footwear — Critical substances potentially present in footwear and footwear components — Test method to quantitatively determine polycyclic aromatic hydrocarbons (PAHs) in footwear materials
ISO 17070	Leather — Chemical tests — Determination of tetrachlorophenol-, trichlorophenol-, dichlorophenol-, monochlorophenol-isomers and pentachlorophenol content
ISO 17072-1	Leather — Chemical determination of metal content — Part 1: Extractable metals
ISO 17072-2	Leather — Chemical determination of metal content — Part 2: Total metal content
ISO 17075-1	Leather — Chemical determination of chromium (VI) content in leather — Part 1: Colorimetric method
ISO 17131	Leather — Identification of leather with microscopy
ISO 17226-1	Leather — Chemical determination of formaldehyde content — Part 1: Method using high-performance liquid chromatography
ISO 17226-2	Leather — Chemical determination of formaldehyde content — Part 2: Method using colorimetric analysis
ISO 17234-1	Leather — Chemical tests for the determination of certain azo colourants in dyed leathers — Part 1: Determination of certain aromatic amines derived from azo colourants
ISO 17234-2	Leather — Chemical tests for the determination of certain azo colorants in dyed leathers — Part 2: Determination of 4-aminoazobenzene
ISO 17235	Leather — Physical and mechanical tests — Determination of softness
ISO 17701	Footwear — Test methods for uppers, lining and insoles — Colour migration
ISO 32100	Rubber- or plastics-coated fabrics Physical and mechanical tests Determination of flex resistance by the flexometer method
QB/T 1268	Leather — Physical and mechanical tests — Determination of thickness
QB/T 1273	Fur — Chemical tests — Determination of volatile matter
QB/T 1276	Fur — Chemical tests — Determination of matter soluble in dichloromethane and free fatty acid content
QB/T 1277	Fur — Chemical tests — Determination of pH
QB/T 1646	Polyurethane synthetic leather
QB/T 2464.23	Leather — Tests for colour fastness — Colour fastness to perspiration
QB/T 2537	Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing
QB/T 2709	Leather — Physical and mechanical tests — Determination of thickness
QB/T 2710	Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 5 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

QB/T 2711	Leather — Physical and mechanical tests — Determination of tear load : Double edge tear
QB/T 2712	Leather- Physical and mechanical tests-Determination of distension and strength of grain— Ball burst test
QB/T 2714	Leather - Physical and mechanical tests - Determination of flex resistance
QB/T 2715	Leather — Physical and mechanical tests — Determination of apparent density
QB/T 2717	Leather — Chemical tests — Determination of volatile matter
QB/T 2718	Leather — Chemical tests — Determination of matter soluble in dichloromethane
QB/T 2724	Leather- Chemical tests-Determination of pH
QB/T 2725	Leather — Determination of odour
QB/T 2726	Leather- Physical and mechanical tests-Determination of abrasion resistance
QB/T 2727	Leather — Tests for colour fastness — Colour fastness to artificial light:xenon art fading lamp test
QB/T 3813	Determination of thickness of finished leather products
QB/T 4198	Leather — Physical and mechanical tests — Determination of tear load: Single edge tear
QB/T 4671	Test method for synthetic leather/artificial leather — Resistance to hydrolysis
QB/T 4672	Test method for synthetic leather/artificial leather — Resistance to yellowing
QB/T 5155	Test method of artificial leather and synthetic leather —Determination of softness
QB/T 5157	Test method of artificial leather and synthetic leather — Test of color migration
QB/T 5158	Test method of artificial leather and synthetic leather — Test of quantitatively determine dimethylformamide
QB/T 5252	Leather — Tests for colour fastness — Colour fastness to migration into plasticized polyvinyl chloride
SATRA TM162	Tear strength - Baumann method
SATRA TM335	Colour fastness to water or perspiration (petri-dish method)
Textiles and Related Products	
§64 LFGB B 82.02-2	Textiles-Methods for determination of aromatic amine isolated from certain Azo dyes
16 CFR 1610	Standard for the Flammability of Clothing Textiles
AATCC 6	Colorfastness to acids and alkalis
AATCC 8	Colorfastness to Crocking:Crockmeter Method
AATCC 15	Colour fastness to perspiration
AATCC 20	Test Method for Fiber Analysis: Qualitative
AATCC 20A	Fiber Analysis:Quantitative
AATCC 22	Water Repellency: Spray Test

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 6 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

AATCC 61	Colorfastness to laundering, home and commercial: Accelerated
AATCC 88B	Smoothness of Seams in Fabrics After Repeated Home Laundering
AATCC 88C	Retention of Creases in Fabrics After Repeated Home Laundering
AATCC 106	Colorfastness to Water: Sea
AATCC 107	Textiles-Tests for colour fastness-Colour fastness to water
AATCC 117	Colorfastness to Heat: Dry (Excluding Pressing)
AATCC 124	Smoothness Appearance of Fabrics After Repeated Home Laundering
AATCC 127	Water Resistance: Hydrostatic Pressure Test
AATCC 130	Stain Release Replica For Test Method
AATCC 132	Colorfastness to Drycleaning
AATCC 133	Colorfastness to Heat: Hot Pressing
AATCC 135	Test Method for Dimensional Changes of Fabrics after Home Laundering
AATCC 150	Dimensional Changes of Garments after Home Laundering
AATCC 162	Colorfastness to Water: Chlorinated Pool
AATCC 163-2020	Test Method for Colorfastness to Storage:Dye Transfer
AATCC 193	Aqueous Liquid Repellency: Water/Alcohol Solution Resistance Test
AATCC 197	Vertical Wicking of Textiles
AATCC TM 81	Test Method for pH of the Water-Extract from Wet Pressed Textiles
AATCC TM118	Test Method for Oil Repellency_ Hydrocarbon Resistance
ASTM D737	Standard Test Method for Air Permeability of Textile Fabrics
ASTM D1230	Test Method for Flammability of Apparel Textiles
ASTM D1424	Standard Test Method for Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus
ASTM D1578	Standard Test Method for Breaking Strength of Yarn in Skein Form
ASTM D1683/D1683M	Standard Test Method for Failure in Sewn Seams of Woven Fabrics
ASTM D1777	Standard Test Method for Thickness of Textile Materials
ASTM D2256/D2256M	Standard Test Method for Tensile Properties of Yarns by the Single-Strand Method
ASTM D2261	Standard Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 7 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ASTM D3512/D3512M	Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester
ASTM D3774	Standard Test Method for Width of Textile Fabric
ASTM D3776/D3776M	Standard Test Methods for Mass Per Unit Area (Weight) of Fabric
ASTM D3786/D3786M	Standard Test Method for Bursting Strength of Textile Fabrics-Diaphragm Bursting Strength Tester Method
ASTM D3787	Standard Test Method for Bursting Strength of Textiles-Constant-Rate-of-Traversal (CRT) Ball Burst Test
ASTM D3884	Standard Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method)
ASTM D3939/D3939M	Standard Test Method for Snagging Resistance of Fabrics (Mace Test Method)
ASTM D4685/D4685M	Standard Test Method for Pile Fabric Abrasion
ASTM D4964	Standard Test Method for Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine)
ASTM D4966	Standard Test Method for Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method)
ASTM D4970/D4970M	Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textiles Fabrics: Martindale Pressure Tester Method
ASTM D5034	Standard Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test)
ASTM D5035	Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method)
ASTM D5587	Standard Test Method for Tearing Strength of Fabrics by Trapezoid Procedure
ASTM E96/E96M	Standard Test Methods for Gravimetric Determination of Water Vapor Transmission Rate of Materials
BS 4569	Method of test for ignitability (surface flash) of pile fabrics and assemblies having pile on the surface
BS EN 16711-2	Textiles - Determination of metal content Part 2: Determination of metals extracted by acidic artificial perspiration solution
BS EN 20811	Textiles-Determination of resistance to water Penetration-Hydrostatic pressure test
BS EN ISO 9073-15	Textiles—Test methods for nonwovens—Part 15:Determination of air permeability
BS EN ISO 9237	Textiles — Determination of the permeability of fabrics to air
BS EN ISO 14419	Textiles—Oil repellency—Hydrocarbon resistance test

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 8 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

DIN 53160-1	Determination of the colourfastness of articles in common use- part 1 : resistance to artificial saliva
EN 1811	Reference test method for release of nickel from products intended to come into direct and prolonged contact with the skin
EN 13770	Textiles-Determination of the Abrasion Resistance of Knitted Footwear Garments
EN 16711-1	Textiles - Determination of metal content - Part 1: Determination of metals using microwave digestion
EN ISO 3071	Textiles-Determination of pH of aqueous extract
EN ISO 811:2018	Textiles-Determination of resistance to water Penetration-Hydrostatic pressure test
EN ISO 4920	Textile fabrics - Determination of resistance to surface wetting (spray test)
EN ISO 5084	Textiles — Determination of thickness of textiles and textile products
EN ISO 14362-1	Textiles-Methods for determination of certain aromatic amines derived from azo colorants-Part 1: Detection of the use of certain azo colorants accessible with and without extracting the fibres
EN ISO 14362-3	Textiles-Methods for determination of certain aromatic amines derived from azo colorants-Part 3:Detection of the use of certain azo colorants,which may release 4-aminoazobenzene
FZ/T 01004	Coated fabrics-Determination of resistance to penetration by water
FZ/T 01010	Coated fabrics-Determination of coating peeling strength
FZ/T 01026	Textile-Quantitative chemical analysis-Multinaryfibre mixtures
FZ/T 01030	Textiles-Knitted fabrics-Determination of stitch length and yarn linear density in weft knitted fabrics
FZ/T 01031	Knitted fabric and elastic woven fabric-Determination of maximum force to seam rupture and elongation-Grab method
FZ/T 01034	Textiles-Test method of the tensile elasticity for woven fabrics
FZ/T 01057.2	Test method for identification of textile fibres-Part 2: Burning behavior
FZ/T 01057.3	Test method for identification of textile fibres-Part 3:Microscopy
FZ/T 01057.4	Test method for identification of textile fibres-Part 4:Solubility
FZ/T 01071	Textiles-Test method for capillary effect
FZ/T 01095	Textile-Test method of elastane fibre content
FZ/T 01101	Textile test method-Fiber content-Quantitative physical analysis

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

FZ/T 01112	Textiles-Quantitative chemical analysis-Mixtures of silk and wool or/ang cashmere (method using formic acid and zinc chloride)
FZ/T 01118	Textiles-Testing and evaluation for anti-soil properties- Soil release
FZ/T 01131	Textiles-Quantitative chemical analysis -Mixtures of natural cellulose fibre and certain regenerated cellulose fibres (method using hydrochloric acid)
FZ/T 01135	Textiles-Quantitative chemical analysis-Mixtures of polypropylene and certain other fibres
FZ/T 14021	Printed and dyed fabric with water-proof,oilrepellency,anti-soil and easy-care functions
FZ/T 20002	Determination of ether extractable matter in wool textiles
FZ/T 20008	Test for the mass per unit area of wool fabrics
FZ/T 20011	Test method for determining the angle of spirality in knitted wool garments
FZ/T 20018	Determination of dichloromethane-soluble matter in wool textiles
FZ/T 20019	Test method for determining the seam slippage of wool woven fabrics
FZ/T 30003	Method for quantitative analysis of ramie (flax hemp) cotton blended textile -Micro projection
FZ/T 60001	Test method for oil content of sewing thread
FZ/T 70005	Test method for determining the stretch and growth properties of wool textile fabrics
FZ/T 70006	Stretch and recovery testing method for knits
FZ/T 70007	Method of test for determining the underarm seam strength of knitted garments
FZ/T 70008	Test method for cover factor of wool knitted fabrics
FZ/T 70009	Test method of relaxation dimensional change and felting dimesional change to washing of wool textiles
FZ/T 70010	Test method of dry weight per unit area for knitted fabrics
FZ/T 73013	Knitted swimming suits
FZ/T 73020	Knitted casual wear
FZ/T 73025	Knitted garments and accessories for infants
FZ/T 73029	Knitted leggings
FZ/T 73045	Knitted childrens wear
FZ/T 73053	Knitted down garments
FZ/T 73053	Knitted down garments

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 10 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

FZ/T 75002	Coated fabrics-Light accelerated ageing tests - Xenon-arc method
FZ/T 80007.1	Test method of peeled off strength value for garments used adhesive interlining
FZ/T 81005	Quilted textiles
FZ/T 81006	Jeanswear
GB 18401	National general safety technical code for textile
GB 31701	Safety technical code for infants and children textile products
GB/T 420	Textiles - Tests for colour fastness - Colour fastness to wet scrubbing of pigment printed textiles
GB/T 2662	Clothes with fillings
GB/T 2664	Men's suits and coats
GB/T 2665	Women's suits and coats
GB/T 2666	Trousers
GB/T 2910.1	Textiles-Quantitative chemical analysis-Part 1: General principles of testing
GB/T 2910.2	Textiles-Quantitative chemical analysis-Part 2:Ternary fibre mixture
GB/T 2910.3	Textiles - Quantitative chemical analysis -Part 3:Mixtures of acetate and certain other fibres (method using acetone)
GB/T 2910.4	Textiles-Quantitative chemical analysis-Part 4:Mixtures of certain protein fibers and certain other fibers (method using hypochlorite)
GB/T 2910.6	Textiles-Quantitative chemical analysis-Part 6:Mixtures of viscose or certain types of cupro or modal or lyocell and cotton fibers (method using formic acid and zinc chloride)
GB/T 2910.7	Textiles-Quantitative chemical analysis-Part 7:Mixtures of polyamide and certain other fibers (method using formic acid)
GB/T 2910.8	Textiles — Quantitative chemical analysis Part 8: Mixtures of acetate and triacetate fibres (method using acetone)
GB/T 2910.10	Textiles — Quantitative chemical analysis — Part 10: Mixtures of triacetate or polylactide and certain other fibres (method using dichloromethane)
GB/T 2910.11	Textiles-Quantitative chemical analysis-Part 11:Mixtures of cellulose and polyester fibres(method using sulfuric acid)
GB/T 2910.12	Textiles-Quantitative chemical analysis-Part 12:Mixtures of acrylic,certainmodacrylic,certainchlorofibres,certainelastanes and certain other fibres (method using dimethylformamide)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 11 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 2910.16	Textiles - Quantitative chemical analysis- Part 16 : Mixtures of polypropylene and certain other fibres (method using xylene)
GB/T 2910.18	Textiles-Quantitative chemical analysis-Part 18:Mixtures of silk and wool or hair (method using sulfuric acid)
GB/T 2910.20	Textiles-Quantitative chemical analysis-Part 20:Mixtures of elastane and some other fibres (dimethylacetamide)
GB/T 2910.21	Textiles -Quantitative chemical analysis -Part 21 : Mixtures of chlorofibers, certain modacrylics, certain elastanes , acetates, triacetates and certain other fibers(method using cyclohexanone)
GB/T 2910.22	Textiles-Quantitative chemical analysis-Part 22:Mixtures of viscose or certain tyoes of cupro or modal or lyocell and flax of ramie fibres(method using formic acid and zinc chloride)
GB/T 2910.23	Textiles- Quantitative chemical analysis-Part 23 :Mixtures of polyethylene and polypropylene (method using cyclohexanone)
GB/T 2912.1	Textiles-Determination of formaldehyde-Part 1: Free and hydrolyzed formaldehyde (water extraction method)
GB/T 3820	Determination of thickness of textiles and textile products
GB/T 3916	Textiles — Yarns from packages — Determination of single-end breaking force and elongation at break using constant rate of extension (CRE) tester
GB/T 3917.1	Textiles — Tear properties of fabrics — Part 1: Determination of tear force using ballistic pendulum method (Elmendorf)
GB/T 3917.2	Textiles — Tear properties of fabrics — Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method)
GB/T 3917.4	Textiles — Tear properties of fabrics — Part 4: Determination of tear force of tongue-shaped test specimens (Double tear test)
GB/T 3920	Textiles-Tests for colour fastness-Colour fastness to rubbing
GB/T 3921	Textiles - test for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda
GB/T 3922	Textiles-Tests for colour fastness-Colour fastness to perspiration
GB/T 3923.1	Textiles — Tensile properties of fabrics — Part 1: Determination of maximum force and elongation at maximum force using the strip method
GB/T 3923.2	Textiles — Tensile properties of fabrics — Part 2: Determination of maximum force using the grab method
GB/T 4666	Textiles - Fabrics - Determination of width and length
GB/T 4668	Textiles--Woven fabrics--Determination of number of threads per unit length
GB/T 4669	Textiles - Woven fabrics - Determination of mass per unit length and mass per unit area

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 12 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 4743	Textiles — Yarn from packages — Determination of linear density(mass per unit length) by the skein method
GB/T 4744	Textiles-Testing and evaluation for water resistance-Hydrostatic pressure method
GB/T 4745	Textile fabrics-Determination of resistance to surface wetting-Spray test
GB/T 4802.1	Textile fabrics-Assessing the rate of pilling of fabrics- Circular locus method
GB/T 4802.2	Textiles-Assessing the rate of pilling of fabrics-Martindale method
GB/T 4802.3	Textiles-Assessing the rate of pilling of fabrics-Pilling box method
GB/T 4802.4	Textiles-Determination of fabric propensity to surface fuzzing and to pilling-Part 4:Random rolling method
GB/T 5296.4	Instructions for use of products of consumer interest —Part 4 : Textiles and apparel
GB/T 5453	Textiles-Determination of the permeability of fabrics to air
GB/T 5711	Textiles-Tests for colour fastness-Part D01: Colour fastness to dry cleaning
GB/T 5713	Textiles-Tests for colour fastness-Colour fastness to water
GB/T 5714	Textiles-Tests for colour fastness-Colour fastness to sea water
GB/T 5718	Textiles-Tests for colour fastness-Colour fastness to dry heat (excluding pressing)
GB/T 6152	Textiles-Tests for colour fastness-Colour fastness to hot pressing
GB/T 6503	Man-made fibres—Test method of moisture regain
GB/T 6504	Man-made fiber—Test method for oil content
GB/T 7573	Textiles-Determination of pH of aqueous extract
GB/T 7742.1	Textiles-Bursting properties of fabrics-Part1:Hydraulic method for determination of bursting strength and bursting distension
GB/T 8427	Textiles-Tests for colour fastness-Colour fastness to artificial light: Xenon arc fading lamp test
GB/T 8433	Textiles-Tests for colour fastness-Colour fastness to chlorinated water (swimming-pool water)
GB/T 8628	Textiles — Preparation, marking and measuring of fabric specimens and garments in tests for determination of dimensional change
GB/T 8629	Textiles — Domestic washing and drying procedures for textile testing
GB/T 8630	Textiles — Determination of dimensional change in washing and drying

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 9995	Determination of moisture content and moisture regain of textile-Oven-drying method
GB/T 10288	Test method for down and feather
GB/T 11047	Textiles-Evaluation for the snagging degree of fabrics-Mace test method
GB/T 12490	Textile-Test for color fastness to domestic and commercial laundering
GB/T 12704.1	Textiles - Test method for water-vapour transmission of fabrics - Part 1: Desiccant method
GB/T 12704.2	Textiles - Test method for water-vapour transmission of fabrics - Part 2: Water method
GB/T 12705.2	Textile—Methods of testing the down-proof properties of fabrics—Part 2:Tumble test
GB/T 13767	Textiles--Method for the determination of the ability of textiles to heat resistance
GB/T 13769	Textiles-Method for assessing the appearance of durable press fabrics after domestic washing and drying
GB/T 13770	Textiles-Method for assessing the appearance of creases in durable press products after domestic washing and drying
GB/T 13771	Textiles-Method for assessing the appearance of seams in durable press products after domestic washing and drying
GB/T 13772.1	Textiles-Determination of the slippage resistance of yarns at a seam in woven fabrics-Part 1: Fixed seam opening method
GB/T 13772.2	Textiles-Determination of the slippage resistance of yarns at a seam in woven fabrics-Part 2 Fixed load method
GB/T 13773.1	Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 1: Determination of maximum force to seam rupture using the strip method
GB/T 13773.2	Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 2: Determination of maximum force to seam rupture using the grab method
GB/T 14272	Down garments
GB/T 14343	Testing method for linear density of man-made filament yarns
GB/T 14576	Textiles-testing method for complex Colour fastness to light- perspiration
GB/T 14644	Textile fabrics-Burning behaviour-45°test determination of flame spread rate
GB/T 14801	Test method for skewness and bow in woven and knitted fabrics
GB/T 16988	Quantitative determination for mixtures of special animal fibre and wool
GB/T 17592	Textiles-Determination of the banned azo colourants

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 14 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 17593.2	Textiles-Determination of heavy metals-Part 2: Inductively coupled plasma atomic emission spectrometry
GB/T 17593.3	Textiles-Determination of heavy metals-Part 3:Chromium(VI)-Spectrophotometry
GB/T 18414.1	Textiles-Determination of the content of chlorinated phenols-Part 1: Gas chromatography/mass spectrography
GB/T 18886	Textiles-Tests for fastness-Colour fastness to saliva
GB/T 19089	Rubber-or plastics-coated fabrics-Determination of abrasion resistance-Martindale method
GB/T 19976	Textiles-Determination of bursting strength-Steel ball method
GB/T 19977	Textiles—Oil repellency—Hydrocarbon resistance test
GB/T 19980	Textiles-Method for assessing appearance of apparel and other textile end products after domestic washing and drying
GB/T 20384	Textiles--Determination of the residual chlorobenzenes and chlorinated toluenes
GB/T 20385.1	Textiles-Determination of organotin compounds Part 1 : Derivatisation method using GC-MS
GB/T 20386	Textiles-Determination of the content of aortho-phenylphenol
GB/T 20387	Textiles-Determination of the content of polychlorinated biphenyls (PCBs)
GB/T 20388	Textiles-Determination of the phthalate content-Tetrahydrofuran method
GB/T 21196.2	Textiles-determination of the abration resistance of fabrics by the martindale method-part2: determination of specimen breakdown
GB/T 21196.3	Textiles-determination of the abration resistance of fabrics by the martindale method-part3:determination of mass loss
GB/T 21196.4	Textiles-determination of the abration resistance of fabrics by the martindale method-part4:assessment of appearance change
GB/T 22700	Washed garments
GB/T 22702	Measurement method for cord and drawstrings on children's clothing
GB/T 22704	Code of practice for the design and manufacture of children's clothing to promote mechanical safety
GB/T 22705	Safety specifications for cords and drawstrings on children's clothing
GB/T 22796	Bedding
GB/T 22798	Test method for fiber shedding of towel products
GB/T 22799	Test method for absorption of towel products

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 22849	Knitted T-shirt
GB/T 22853	Knitted sportswears
GB/T 22854	Knitted school uniform
GB/T 23319.1	Textiles - Determination of spirality after laundering - Part 1: Percentage of wale spirality change in knitted garments
GB/T 23319.2	Textiles - Determination of spirality after laundering - Part 2: Woven and knitted fabrics
GB/T 23319.3	Textiles—Determination of spirality after laundering—Part 3:Woven and knitted garments
GB/T 23328	Woven garments for students
GB/T 23344	Textile-Determination of 4-aminoazobenzene
GB/T 24121	Textile products-Determiantion of the remains of broken sewing needle
GB/T 24218.15	Textiles—Test methods for nonwovens—Part 15:Determination of air permeability
GB/T 24218.16	Textiles—Test methods for nonwovens— Part 16 : Determination of resistance to penetration by water (hydrostatic pressure)
GB/T 24279.1	Textile-Determination of certain flame retardants-Part 1: Brominated flame retardants
GB/T 28189	Textiles-Determination of polycyclic aromatic hydrocarbons
GB/T 28190	Textiles-Determination of dimethyl fumarate
GB/T 29256.5	Textiles — Woven fabrics — Construction — Methods for analysis — Part 5: Determination of linear density of yarn removed from fabric
GB/T 29778	Textiles-Tests for colour fastness-Assessment of the potential to phenolic yellowing of materials
GB/T 29862	Textiles—Identification of fiber content
GB/T 30157	Textiles-Determination of total content of lead and cadmium
GB/T 30159.1	Textiles—Testing and evaluation for anti-soil properties—Part 1:Stain resistance
GB/T 31127	Textiles-Tests for colour fastness-Colour fastness to transfer in joints
GB/T 31702	Testing method for sharpness of attached components on textile products
GB/T 31888	School uniforms of primary and secondary students
GB/T 31906	Textiles—Aqueous liquid repellency—Water/alcohol solution resistance test
GB/T 31907	Method of garment measurement

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 16 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 32008-2015	Textiles—Tests for colour fastness—Colour fastness to dye transfer in storage
GB/T 32599	Test method for removal force of attached components on textile products
GB/T 32614	Outdoor sportswear — Water resistant garment
GB/T 32614	Outdoor sportswear — Water resistant garment
GB/T 32614	Outdoor sportswear—Water resistant garment
GB/T 33271	Woven garments for infants
GB/T 33734	Woven bedding for infants
GB/T 36971-2018	Textiles—Tests for colour fastness—Assessment of migration of textile colours into polyvinyl chloride coatings
GB/T 37629	Textiles-Quantitative chemical analysis-Mixtures of acrylic with certain other fibres(method using formic acid and zinc chloride)
GB/T 38015	Textiles-Quantitative chemical analysis -Mixtures of elastane and certain other fibers
GB/T 39508	Knitted garments for infants and children
IDFB-2020	IDFB Testing Regulations
ISO 105-B07	Textiles-Tests for colour fastness-Part B07: Colour fastness to light of textiles wetted with artificial perspiration
ISO 105-C06	Textile-Test for color fastness to domestic and commercial laundering
ISO 105-C10	Textiles - test for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda
ISO 105-D01	Textiles-Tests for colour fastness-Part D01: Colour fastness to dry cleaning
ISO 105-E01	Textiles-Tests for colour fastness-Part E01: Colour fastness to water
ISO 105-E02	Textiles-Tests for colour fastness-Part E02: Colour fastness to sea water
ISO 105-E03	Textiles-Tests for colour fastness-Part E03:Colour fastness to chlorinated water (swimming-pool water)
ISO 105-E04	Textiles-Tests for colour fastness-Part E04:Colour fastness to perspiration
ISO 105-P01	Textiles-Tests for colour fastness-Part P01: Colour fastness to dry heat (excluding pressing)
ISO 105-X10:1993	Textiles — Tests for colour fastness — Part X10: Assessment of migration of textile colours into polyvinyl chloride coatings
ISO 105-X11	Textiles-Tests for colour fastness-Part X11: Colour fastness to hot pressing
ISO 105-X12	Textiles-Tests for colour fastness-Part X12:Colour fastness to rubbing

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 17 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 105-X18	Textiles-Tests for colour fastness-Part X18:Assessment of the potential to phenolic yellowing of materials
ISO 811	Textiles-Determination of resistance to water Penetration-Hydrostatic pressure test
ISO 1420	Rubber- or plastics-coated fabrics — Determination of resistance to penetration by water
ISO 1421	Rubber- or plastics-coated fabrics — Determination of tensile strength and elongation at break
ISO 1833-1	Textiles-Quantitative chemical analysis-Part 1:General principles of testing
ISO 1833-2	Textiles-Quantitative chemical analysis-Part 2:Ternaryfibre mixture
ISO 1833-3	Textiles -Quantitative chemical analysis -Part 3:Mixtures of acetate and certain other fibres (method using acetone)
ISO 1833-4	Textiles-Quantitative chemical analysis-Part 4:Mixtures of protein and certain other fibers (method using hypochlorite)
ISO 1833-6	Textiles-Quantitative chemical analysis-Part 6:Mixtures of viscose or certain types of cupro or modal or lyocell and cotton fibers (method using formic acid and zinc chloride)
ISO 1833-7	Textiles-Quantitative chemical analysis-Part 7:Mixtures of polyamide and certain other fibers (method using formic acid)
ISO 1833-8	Textiles -Quantitative chemical analysis Part 8: Mixtures of acetate and triacetate fibres (method using acetone)
ISO 1833-10	Textiles -Quantitative chemical analysis -Part 10: Mixtures of triacetate or polylactide and certain other fibres (method using dichloromethane)
ISO 1833-11	Textiles-Quantitative chemical analysis-Part 11:Mixtures of cellulose and polyester fibres(method using sulfuric acid)
ISO 1833-12	Textiles-Quantitative chemical analysis-Part 12:Mixtures of acrylic,certainmodacrylic,certainchlorofibres,certainelastanes and certain other fibres(method using dimethylformamide)
ISO 1833-16	Textiles - Quantitative chemical analysis- Part16 : Mixtures of polypropylene and certain other fibres (method using xylene)
ISO 1833-18	Textiles-Quantitative chemical analysis-Part 18:Mixtures of silk and wool or hair (method using sulfuric acid)
ISO 1833-20	Textiles -Quantitative chemical analysis -Part 20:Mixtures of elastane with certain other fibres (method using dimethylacetamide)
ISO 1833-21	Textiles -Quantitative chemical analysis -Part 21 : Mixtures of chlorofibers, certain modacrylics , certain elastanes ,acetates ,triacetates and certain other fibers(method using cyclohexanone)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 18 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 1833-22	Textiles-Quantitative chemical analysis-Part 22:Mixtures of viscose or certain tyoes of cupro or modal or lyocell and flax of ramie fibres(method using formic acid and zinc chloride)
ISO 2060	Textiles — Yarn from packages — Determination of linear density (mass per unit length) by the skein method
ISO 2062	Textiles — Yarns from packages — Determination of single-end breaking force and elongation at break using constant rate of extension (CRE) tester
ISO 3071	Textiles-Determination of pH of aqueous extract
ISO 3303-1	Rubber-or plastics-coated fabrics-Determination of bursting strength-Part 1: Steel-ball method
ISO 3759	Textiles — Preparation, marking and measuring of fabric specimens and garments in tests for determination of dimensional change
ISO 3801	Textiles - Woven fabrics - Determination of mass per unit length and mass per unit area
ISO 4674-1	Rubber- or plastics-coated fabrics — Determination of tear resistance — Part 1: Constant rate of tear methods
ISO 4674-2	Rubber- or plastics-coated fabrics — Determination of tear resistance — Part 2: Ballistic pendulum method
ISO 4920	Textile fabrics-Determination of resistance to surface wetting (Spray test)
ISO 5077	Textiles — Determination of dimensional change in washing and drying
ISO 5084	Textiles — Determination of thickness of textiles and textile products
ISO 5470-2	Rubber-or plastics-coated fabrics - Determination of abrasion resistance-Martindale method
ISO 6330	Textiles — Domestic washing and drying procedures for textile testing
ISO 6939	Textiles — Yarns from packages — Method of test for breaking strength of yarn by the skein method
ISO 7211-2	Textiles — Woven fabrics — Construction — Methods of analysis — Part 2: Determination of number of threads per unit length
ISO 7211-5	Textiles — Methods for analysis of woven fabrics construction — Part 5: Determination of linear density of yarn removed from fabric
ISO 7768	Textiles-Test method for assessing the smoothness appearance of fabrics after cleansing
ISO 7769	Textiles-Test method for assessing the appearance of creases in fabrics after cleansing
ISO 7770	Textiles-Method for assessing the appearance of seams in durable press products after domestic washing and drying
ISO 9073-1	Nonwovens — Test methods — Part 1: Determination of mass per unit area

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 9073-15	Textiles—Test methods for nonwovens—Part 15:Determination of air permeability
ISO 9073-16	Textiles—Test methods for nonwovens— Part 16 : Determination of resistance to penetration by water (hydrostatic pressure)
ISO 9237	Textiles — Determination of the permeability of fabrics to air
ISO 12945-1	Textiles — Determination of fabric propensity to surface pilling, fuzzing or matting — Part 1: Pilling box method
ISO 12945-2	Textiles — Determination of fabric propensity to surface pilling, fuzzing or matting — Part 2: Modified Martindale method
ISO 12945-3	Textiles-Determination of the fabric propensity to surface pilling, fuzzing or matting-Part 3: Random tumble pilling method
ISO 12945-4	Textiles — Determination of fabric propensity to surface pilling, fuzzing or matting — Part 4: Assessment of pilling, fuzzing and matting by visual analysis
ISO 12947-2	Textiles-determination of the abrasion resistance of fabrics by the martindale method-part2: determination of specimen breakdown
ISO 12947-3	Textiles-determination of the abrasion resistance of fabrics by the martindale method-part3:determination of mass loss
ISO 12947-4	Textiles-determination of the abrasion resistance of fabrics by the martindale method-part4:assessment of appearance change
ISO 13934-1	Textiles — Tensile properties of fabrics — Part 1: Determination of maximum force and elongation at maximum force using the strip method
ISO 13934-2	Textiles — Tensile properties of fabrics — Part 2: Determination of maximum force using the grab method
ISO 13935-1	Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 1: Determination of maximum force to seam rupture using the strip method
ISO 13935-2	Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 2: Determination of maximum force to seam rupture using the grab method
ISO 13936-1	Textiles-Determination of the slippage resistance of yarns at a seam in woven fabrics-Part 1 :Fixed seam opening method
ISO 13936-2	Textiles-Determination of the slippage resistance of yarns at a seam in woven fabrics-Part 2 :Fixed load method
ISO 13937-1	Textiles — Tear properties of fabrics — Part 1: Determination of tear force using ballistic pendulum method (Elmendorf)
ISO 13937-2	Textiles — Tear properties of fabrics — Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method)
ISO 13937-4	Textiles — Tear properties of fabrics — Part 4: Determination of tear force of tongue-shaped test specimens (Double tear test)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 20 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 13938-1	Textiles-Bursting properties of fabrics-Part 1:Hydraulic method for determination of bursting strength and bursting distension
ISO 14184-1	Textiles-Determination of formaldehyde-Part 1: Free and hydrolyzed formaldehyde (water extraction method)
ISO 14362-1	Textiles-Methods for determination of certain aromatic amines derived from azo colorants-Part 1: Detection of the use of certain azo colorants accessible with and without extracting the fibres
ISO 14362-3	Textiles-Methods for determination of certain aromatic amines derived from azo colorants-Part 3:Detection of the use of certain azo colorants,which may release 4-aminoazobenzene
ISO 14389	Textiles-Determination of the phthalate content-Tetrahydrofuran method
ISO 14419	Textiles—Oil repellency—Hydrocarbon resistance test
ISO 15487	Textiles-Method for assessing appearance of apparel and other textile end products after domestic washing and drying
ISO 15496	Textiles — Measurement of water vapour permeability of textiles for the purpose of quality control
ISO 16322-1	Textiles - Determination of spirality after laundering - Part 1: Percentage of wale spirality change in knitted garments
ISO 16322-2	Textiles - Determination of spirality after laundering - Part 2: Woven and knitted fabrics
ISO 16322-3	Textiles—Determination of spirality after laundering—Part 3:Woven and knitted garments
ISO 22198	Textiles — Fabrics — Determination of width and length
ISO 23232	Textiles — Aqueous liquid repellency — Water/alcohol solution resistance test
ISO/TR 11827	Textiles-Composition testing-Identification of fibres
JIS L 1092	Test for Water Penetration — Hydrostatic Pressure method
JIS L1099	Testing methods for water vapour permeability of textiles (Foreign Standard)
QB/T 1193	Down&Feather quilt
QB/T 1195	Down&Feather sleeping bag
QB/T 1196	Down&Feather pillow
QB/T 5245	Leather garment with down feather fillers
SN/T 2583	Determination of alkylphenolic compounds residues in textile and leather products for import and export-Gas chromatography with mass detector
Footwear	

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 21 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ASTM D412	Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers-Tension
ASTM D624	Standard Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers
ASTM D792	Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement
ASTM D1052	Standard Test Method for Measuring Rubber Deterioration-Cut Growth Using Ross Flexing Apparatus
ASTM D1148	Standard Test Method for Rubber Deterioration-Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces
ASTM D1630	Standard Test Method for Rubber Property-Abrasion Resistance (Footwear Abrader)
ASTM D2240	Standard Test Method for Rubber Property-Durometer Hardness
ASTM D3574	Standard Test Methods for Flexible Cellular Materials Slab, Bonded, and Molded Urethane Foams
ASTM D5169	Standard Test Method for Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners
ASTM D5170	Standard Test Method for Peel Strength ("T" Method) of Hook and Loop Touch Fasteners
ASTM D5963	Standard Test Method for Rubber Property-Abrasion Resistance (Rotary Drum Abrader)
ASTM F2913	Standard Test Method for Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester
BS 5131	Footwear-Test methods for uppers, lining and insoles-Seam strength Methods of test for footwear and footwear materials-Part 5 Testing of complete footwear
BS 5131	Methods of test for footwear and footwear materials-Part 5: Testing of complete footwear
BS 5131	Methods of test for footwear and footwear materials-Part 5: Testing of complete footwear
BS 5131-2.1	Methods of test for footwear and footwear material-Part 2 : Solings
BS 5131-3.7	Methods of test for footwear and footwear materials. Uppers, textiles and threads- Breaking strength of shoe laces
BS 5131-4.2	Methods of test for footwear and footwear materials-Part 4: Other components- Flexing index of fibreboard
BS 5131-4.8	Methods of test for footwear and footwear materials-Other components- Resistance of heels of ladies' shoes to lateral impact

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 22 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

BS 5131-5.4	Methods of test for footwear and footwear materials-Part 5:Testing of complete footwear
BS EN 12770	Footwear-Test methods for outsoles-Abrasion resistance
BS EN 12803	Footwear-Test methods for outsoles-Tensile strength and elongation
BS EN 13520	Footwear-Test methods for uppers, lining and insoles-Abrasion resistance
BS EN 13780	Touch and close fasteners-Determination of longitudinal shear strength
BS EN ISO 17694	Footwear-Test methods for uppers and lining-Flex resistance
BS EN ISO 17700	Footwear-Test methods for uppers, linings and insoles-Colour fastness to rubbing
BS ISO 4649	Rubber, vulcanized or thermoplastic-Determination of abrasion resistance using a rotating cylindrical drum device
DIN 53512	Testing of rubber - Determination of rebound resilience (Schob pendulum)
DIN EN 12770	Footwear-Test methods for outsoles-Abrasion resistance
DIN EN 13520	Footwear-Test methods for uppers, lining and insoles-Abrasion resistance
DIN EN ISO 20871	Footwear-Test methods for outsoles-Abrasion resistance
EN 12770	Footwear-Test methods for outsoles-Abrasion resistance
EN 12803	Footwear-Test methods for outsoles-Tensile strength and elongation
EN 13520	Footwear-Test methods for uppers, lining and insoles-Abrasion resistance
EN 13780	Touch and close fasteners-Determination of longitudinal shear strength
EN ISO 4674-1	Rubber or plastics-coated fabrics-Determination of tear resistance-Part 1:Constant rate of tear methods
EN ISO 5470-1	Rubber- or plastics-coated fabrics-Determination of abrasion resistance-Part 1:Taber abrader
EN ISO 5470-2	Rubber- or plastics-coated fabrics-Determination of abrasion resistance-Part 2:Martindale abrader
EN ISO 13287	Personal protective equipment — Footwear — Test method for slip resistance
EN ISO 16189	Footwear-Critical substances potentially present in footwear and footwear components - Test method to quantitatively determine dimethylformamide in footwear materials
EN ISO 17694	Footwear-Test methods for uppers and lining-Flex resistance
EN ISO 17696	Footwear-Test methods for uppers, linings and insoles-Tear strength

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

EN ISO 17700	Footwear-Test methods for uppers, linings and insocks-Colour fastness to rubbing
EN ISO 17708	Footwear-Test methods for whole shoe-Upper sole adhesion
EN ISO 19953	Footwear-Test methods for heels-Resistance to lateral impact
EN ISO 19956	Footwear-Test methods for heels-Fatigue resistance
EN ISO 22776	Footwear-Test methods for accessories-Touch and close fasteners-Shear strength before and after repeated closing
EN ISO 22777	Footwear-Test methods for accessories-Touch and close fasteners-Peel strength before and after repeated closing
FIA 1206 (modified)	Whole shoe sole pull test
GB 18583	Indoor decorating and refurbishing materials - Limit of harmful substances of adhesives
GB 19340	Adhesives for footwear and case and bag
GB 21148	Personal protective equipment--Test methods for footwear
GB 25036	Childrens canvas rubber footwear
GB 25037	Industrial rubber boots
GB 25038	Rubber shoes healthy and safe specification
GB 30585	Safety technical specifications for children's footwea
GB/T 230.1	Metallic materiais-Rockwell hardness test-Part 1:Test method
GB/T 528	Rubber, vulcanized or thermoplastic-Determination of tensile stress-strain properties
GB/T 529	Rubber, vulcanized or thermoplastic-Determination of tear strength(Trouser,angle and crescent test pieces)
GB/T 531.1	Rubber, vulcanized or thermoplastic-Determination of indentation hardness-Part 1:Duromerer method(Shore hardness)
GB/T 532	Rubber,vulcanized or thermoplastic-Determination of adhesion to textile fabric
GB/T 533	Rubber,vulcanized or thermoplastic-Determiantion of density
GB/T 1040.1	Plastics-Determination of tensile properties-Part 1:General principles
GB/T 1040.2	Plastics-Determination of tensile properties-Part 2:Test conditions for moulding and extrusion plastics
GB/T 1040.3	Plastics-Determination of tensile properties-Part 3:Test conditions for films and sheets

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 24 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 1689	Rubber vulcanized-Determination of abrasion resistance (Akron machine)
GB/T 2411	Plastics and ebonite-Determination of indentation hardness by means of a durometer(shore hardness)
GB/T 3512	Rubber vulcanized or thermoplastic-Accelerated ageing and heat resistance tests-Air-oven method
GB/T 3903.1	Footwear-Test methods for whole shoe-Flexing resistance
GB/T 3903.2	Footwear-Test methods for whole shoe-Abrasion resistance
GB/T 3903.3	Footwear-General test methods-Peeling strength
GB/T 3903.4	Footwear-Test methods for whole shoe-Hardness
GB/T 3903.5	Footwear—General test methods—Appearance quality
GB/T 3903.6	Footwear—Test methods for whole shoe—Slip performance
GB/T 3903.7	Footwear-Ageing conditioning
GB/T 3903.10	Footwear-Test methods for insoles. Dimensional stability
GB/T 3903.12	Footwear-Test methods for outsoles-Tear strength
GB/T 3903.13	Footwear-Test methods for outsoles-Dimensional stability
GB/T 3903.16	Footwear-Test methods for uppers,linings and insoles- Abrasion resistance
GB/T 3903.20	Footwear-Test methods for accessories-Touch and close fasteners-Peel strength before and after repeated closing
GB/T 3903.21	Footwear-Test methods for accessories-Touch and close fasteners-Shear strength before and after repeated closing
GB/T 3903.25	Footwear-Test methods for whole shoe-Heel attachment
GB/T 3903.33	Footwear-Test methods for insoles and insoles-Water absorption and desorption
GB/T 3903.34	Footwear-Test methods for shanks-Longitudinal stiffness
GB/T 3903.39	Footwear-Test methods for uppers-Delamination resistance
GB/T 3903.41	Footwear-Test methods for uppers and lining-Flex resistance
GB/T 3903.43	Footwear-Test methods for uppers, lining and insoles-Seam strength
GB/T 6343	Cellular plastics and rubbers-Determination of apparent (bulk) density
GB/T 7759.1	Rubber,vulcanized or thermoplastic-Determination of compression set-Part 1:At ambient or elevated temperatures
GB/T 9867	Rubber,vulcanized or thermoplastic-Determination of abrasion resistance using a rotating cylindrical drum device

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 25 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 10654	Flexible cellular polymeric materials-Determination of tensile strength and elongation at break
GB/T 11413	Test method for bond strength of leather shoes heels
GB/T 15107	Athletic shoes
GB/T 16641	Footwear - Test methods for whole shoe - Dynamic waterproofness
GB/T 19706	Football shoes
GB/T 20991	Personal protective equipment--Test methods for footwear
GB/T 21396	Footwear-Test methods for whole shoe-Upper sole adhesion
GB/T 22756	Leather sandals
GB/T 24153	Rubber and elastomer materials-Determination of N-nitrosamines
GB/T 26703	Determination of zbrasion resistance for top piece of leather shoes-Rotation cylindrical drum method
GB/T 26713	Footwear-Chemical tests-Determination of dimethyl fumarate (DMF)
GB/T 28011	Shanks for footwear
GB/T 28287	Foot protection— Test method for footwear slip resistance
GB/T 30910	Rubber shoes—Determination of migration of 2-Mercaptobenzothiazole and 2,2'-Dithiobis(benzothiazole)
GB/T 33313	Children's rain boots(shoes)
GB/T 33390	Footwear-Critical substances potentially present in footwear and footwear components - Test method to quantitatively determine dimethylformamide in footwear materials
GB/T 33391	Footwear - Critical substances potentially present in footwear and footwear components - Test method to quantitatively determine polycyclic aromatic hydrocarbons (PAH) in footwear materials
GB/T 34842	Footwear-Chemical tests-Determination of formamide
GB/T 38011	Footwear-Test methods for whole shoe-Pulling out strength
GB/T 43293	Shoe size
HG/T 2016	Sports shoes for basketball and volleyball
HG/T 2017	Sport shoes
HG/T 2018	Casual
HG/T 2019	Black rain boots (shoes)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 26 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

HG/T 2020	Color rain boots(shoes)
HG/T 2182	Cotton-padded rubber shoes
HG/T 2411	Test method for 90° flexing of sole material
HG/T 2489	Cellular for shoes-Determination of hardness
HG/T 2871	Determination of flex resistance of whole rubber shoes
HG/T 2872	Cellular material for rubber-plastics shoes-Determination of apparent density
HG/T 2876	Cellular material for rubber-plastics shoes-Determination of compression set
HG/T 2877	Determination of pull-out force of upper bands from bottom of slippers or sandals
HG/T 3084	Injection molding shoes
HG/T 3085	Rubber-plastics adhesive shoes
HG/T 3086	Rubber-plastics sandals and slippers
HG/T 3664	Test method of the resistance of all rubber boots (shoes) to water penetration
HG/T 3689	Test method of discoloration for footwear
HG/T 3780	Test method of static slip resistance for footwear
HG/T 4620	Footwear - Test methods of rubber parts - Blooming
HG/T 4809	Cross-county rubber shoes
HG/T 4991	Testing method for rubber film elongation of rubber shoes
HG/T 4993	Cellular material for shoes - Determination of resilience
HG/T 4997	Determination of pull-out force of eyelets
ISO 34-1	Rubber, vulcanized or thermoplastic-Determination of tear strength-Part 1: Trouser, angle and crescent test pieces
ISO 36	Rubber,vulcanized or thermoplastic-Determination of adhesion to textile fabric
ISO 37	Rubber, vulcanized or thermoplastic-Determination of tensile stress-strain properties
ISO 188	Rubber vulcanized or thermoplastic-Accelerated ageing and heat resistance tests-Air-oven method
ISO 868	Plastics and ebonite-Determination of indentation hardness by means of a durometer(shore hardness)
ISO 2781	Rubber,vulcanized or thermoplastic-Determiantion of density

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 27 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 4649	Rubber, vulcanized or thermoplastic-Determination of abrasion resistance using a rotating cylindrical drum device
ISO 4674-1	Rubber or plastics-coated fabrics-Determination of tear resistance-Part 1:Constant rate of tear methods
ISO 5470-1	Rubber- or plastics-coated fabrics-Determination of abrasion resistance-Part 1:Taber abrader
ISO 5470-2	Rubber- or plastics-coated fabrics-Determination of abrasion resistance-Part 2:Martindale abrader
ISO 13287	Personal protective equipment — Footwear — Test method for slip resistance
ISO 16181-1	Footwear - Critical substances potentially present in footwear and footwear components Part1:Determination of phthalate with solvent extraction
ISO 16189	Footwear-Critical substances potentially present in footwear and footwear components - Test method to quantitatively determine dimethylformamide in footwear materials
ISO 16190	Footwear - Critical substances potentially present in footwear and footwear components - Test method to quantitatively determine polycyclic aromatic hydrocarbons (PAH) in footwear materials
ISO 17694	Footwear-Test methods for uppers and lining-Flex resistance
ISO 17696	Footwear-Test methods for uppers, linings and insoles-Tear strength
ISO 17697	Footwear-Test methods for uppers, lining and insoles-Seam strength
ISO 17700	Footwear-Test methods for uppers, linings and insoles-Colour fastness to rubbing
ISO 17704	Footwear-Test methods for uppers, linings and insoles-Abrasion resistance
ISO 17707	Footwear test methods for outsoles flex resistance first edition
ISO 17708	Footwear-Test methods for whole shoe-Upper sole adhesion
ISO 19953	Footwear-Test methods for heels-Resistance to lateral impact
ISO 19954	Footwear-Test methods for whole shoe-Washability in a domestic washing machine
ISO 19956	Footwear-Test methods for heels-Fatigue resistance
ISO 20344	Personal protective equipment — Test methods for footwear
ISO 20345	Personal protective equipment--Occupational footwear
ISO 20871	Footwear-Test methods for outsoles-Abrasion resistance
ISO 20872	Footwear-Test methods for outsoles-Tear strength

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ISO 20873	Footwear-Test methods for outsoles-Dimensional stability
ISO 22650	Footwear-Test methods for whole shoe-Heel attachment
ISO 22651	Footwear-Test methods for insoles. Dimensional stability
ISO 22776	Footwear-Test methods for accessories-Touch and close fasteners-Shear strength before and after repeated closing
ISO 22777	Footwear-Test methods for accessories-Touch and close fasteners-Peel strength before and after repeated closing
ISO/TS 16179	Footwear - Critical substances potentially present in footwear and footwear components - Determination of organotin compounds in footwear materials
ISO/TS 16186	Footwear — Critical substances potentially present in footwear and footwear components — Determination of dimethyl fumarate (DMFU)
QB/T 1002	Leather shoes
QB/T 1472	Flexing index of fibrous board for footwear
QB/T 1653	Polyvinyl chloride plastic sandals
QB/T 1813	Leather shoes shank stiffness test method
QB/T 2224	Footwear-Performance requirement for uppers low-temperature flexing resistance
QB/T 2675	Test methods for shoelace-breaking force
QB/T 2863	Footwear-Test methods for heels-Resistance to lateral impact
QB/T 2864	Footwear-Test methods for heels-Fatigue resistance
QB/T 2880	Childrens leather shoes
QB/T 2882	Footwear-Test methods for uppers, linings and insoles-Colour fastness to rubbing
QB/T 2883	Footwear-Test methods for uppers,linings and insoles-Tear strength
QB/T 2884	Footwear-Test methods for outsoles-Abrasion resistance
QB/T 2885	Footwear-Test methods for whole shoe-Flexing resistance
QB/T 2886	Footwear-Test methods for whole shoe-Upper sole adhesion
QB/T 2887	Footwear-Test methods for whole shoe-Washability in a domestic washing machine
QB/T 2955	Casual shoes
QB/T 2977	Ethylene-vinly acetate copolymer(EVA) slippers and sandals
QB/T 4329	Cloth shoes

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 29 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

QB/T 4331	Children's athletic shoes
QB/T 4338	Footwear-Chemical test method-Determination of alkylphenol ethoxylates
QB/T 4340	Footwear-Chemical test method-Total heavy metal content-Inductively coupled plasma emission Spectroscopy
QB/T 4545	Test method for abrasion resistance of footwear materials (Taber abrader)
QB/T 4546	Children's leather sandals
QB/T 4548	Golf shoes
QB/T 4552	Slippers
QB/T 4553	Lightweight hiking shoes
QB/T 4556	Snow boots
QB/T 4886	Footwear-Performance requirement for sole flexing resistance at low-temperature
QB/T 5301	School shoes for primary and secondary students
SATRA TM3	Flexing index
SATRA TM20	Impact test for shoe heel
SATRA TM21	Fatigue test for shoe heels
SATRA TM25	Vamp flex test-resistance to creasing and cracking
SATRA TM30	Tear strength-trouser leg method
SATRA TM31	Abrasion resistance-Martindale method
SATRA TM55	Flexing resistance of upper materials-bally flexometer
SATRA TM 60	Ross flex test-resistance to cut growth on flexing
SATRA TM77	Flexing machine - water penetration test
SATRA TM92	Resistance of footwear to flexing
SATRA TM94	Breaking force and extension at break of shoe laces
SATRA TM108	Strength of top-piece attachment
SATRA TM113	Measurement of the strength of attachment of heels to footwear and the backpart rigidity of such footwear
SATRA TM117	Attachment strength of decorative bows
SATRA TM118	Strength of sandal toe posts
SATRA TM120	Strength of attachment of straps and nailed or stapled uppers
SATRA TM144	Friction (slip resistance) of footwear and floorings

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 30 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

SATRA TM149	Strength of eyelet facings and other laced fastenings
SATRA TM158	Washability of footwear
SATRA TM161	Bennewart flex test - resistance to cut growth on flexing
SATRA TM167	Colorfastness to rubbing-crockmeter test
SATRA TM174	Abrasion resistance - rotating drum method
SATRA TM175	Attachment strength of shoe lace tags
SATRA TM180	Stitched seam strength in upper and lining material
SATRA TM181	Buckle&strap attachment strength
SATRA TM195	Knot slippage test
SATRA TM401	Peel strength of adhesive bonds
SATRA TM411	Peel strength of footwear sole bonds
SN/T 4113	Determination of acetophenon in plastic and plastic products - High performance liquid chromatography
SN/T 4134	Test method for outsole blooming
SN/T 4460	Determination of extracted 2-mercaptobenzothiazole from rubber products
SN/T 4503	Determination of 2-phenyl-2 propanol in plastics and plastic products-Gas chromatography-mass spectrometry
Toy	
ASTM F963	Standard Consumer Safety Specification for Toy Safety
EN 71-1	Safety of toys-Part 1: Mechanical and physical properties
EN 71-2	Safety of toysPart 2: Flammability
GB 6675.2	Safety of toys-Part 2:Mechanical and physical properties
GB6675.3	Safety of toys-Part 3: Flammability
ISO 8124-1	Safety of toys - Part 1: Safety aspects related to mechanical and physical properties
ISO 8124-2	Safety of toysPart 2: Flammability
Metal Product	
ASTM B117	Standard Practice for Operating Salt Spray (Fog) Apparatus
ASTM D610	Standard Practice for Evaluating Degree of Rusting on Painted Steel Surfaces
GB/T 1771	Paints and varnishes—Determination of resistance to neutral salt spray(fog)

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 31 of 32

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

GB/T 6461	Methods for corrosion testing of metallic and other inorganic coatings on metallic substrates--Rating of test specimens and manufactured articles subjected to corrosion tests
GB/T 10125	Corrosion tests in artificial atmospheres—Salt spray tests
ISO 9227	Corrosion tests in artificial atmospheres — Salt spray tests
ISO10289	Methods for corrosion testing of metallic and other inorganic coatings on metallic substrates — Rating of test specimens and manufactured articles subjected to corrosion tests
QB/T 2002.1	Hardware fitting of leather products — Speciafication of electroplated layer
QB/T 2002.2	Hardware fitting of leather products — Speciafication of sprayed coating
QB/T 2171	Metal zipper
QB/T 2172	Derlin zipper
QB/T 2173	Nylon zipper
QB/T 3826	Corrosion resistance test method for metal coatings and chemically treated coatings of light industrial products - Neutral salt spray test (NSS) method
QB/T 3832	Evaluation of the corrosion test results of the metal deposits for the light industrial products
QB/T 5431	Weave zipper
QB/T 5432	Invisible Zipper

TL-1240

HUAK TESTING AND CERTIFICATION (FUJIAN JINJIANG) CO., LTD.

Effective Date June 4, 2024

Page 32 of 32

IAS/TL/100-1

